

CASALI

S P O R T

HIGH PERFORMANCE ACRYLIC SPORTS SURFACES

w w w . c a s a l i s p o r t . c o m



since
1992




Symbols - Leyenda simbolos

	ITF Category 4 - Classified (International Tennis Federation)	Classified - Category 4 medium-fast Clasificado - Categoría 4 medio-rápido Supersoft System
	ITF Category 3 - Classified (International Tennis Federation)	Classified - Category 3 medium Clasificado - Categoría 3 medio Supersoft Doppio System Supersoft Pro Turf System Confosport / T / IT / FL System
	ITF Category 2 - Classified (International Tennis Federation)	Classified - Category 2 medium-slow Clasificado - Categoría 2 medio-lento Surface Evolution System
	AENA - Category 3 - Approved (All England Netball Association)	Approved/Aprobado - Category 3 - Indoor or outdoor courts for county premier league and county first team use (England) Supersoft Doppio System Confosport System Pavisint SL 75 System
	Slovene Tennis Association	Slovenian Tennis Association (Slovenia) Asociación Eslovena de Tenis (Eslovenia) Supersoft System Supersoft Doppio System Confosport System
	UNI EN 14904:2007 Surfaces for sports areas	Surfaces for sports areas - Indoor surfaces for multisports use Superficies deportivas. Suelos multidepor- tivos de interior.
	Fire Resistance Class 1 (Istituto Giordano)	Fire resistance class 1 Resistencia al fuego clase 1
	Fire Resistance Bfl-s1 (Istituto Giordano)	Fire resistance class Bfl-s1 Resistencia al fuego clase Bfl-s1
	Fire Resistance Bfl-s2 (Istituto Giordano)	Fire resistance class Bfl-s2 Resistencia al fuego clase Bfl-s2
	EN 14877 - comply	Complying with EN 14877 standards Conforme a la normativa EN 14877
	EN 14904 - comply	Complying with EN 14904 standards Conforme a la normativa EN 14904
	A.N.A.S. Comply (Azienda Nazionale Autonoma delle Strade - Italy)	Autonomous Italian Road Company (Italy) Aprobado - Empresa Nacional Autónoma de Autopistas (Italia)
	PZH (National Institute of Public Health National Institute of Hygiene)	National Institute of Higiene (Poland) Instituto Nacional de Higiene (Polonia)
	ASBA member (American Sports Builders Association)	Casali is a member of the American Sports Builders Association Casali es un miembro de la Asociación Americana de Constructores de escenari- os Deportivos
	Italian Quality - Casali	Casali logo: the Italian Quality of surfaces Logo Casali: Calidad Italiana de las super- ficies
	Grand Court	Casali brand for tennis court surfaces Marca Casali para las superficies para el tenis

since
1992



Our story
has been
coming
for a long
time.



Dedicated to Elvio Cardinaletti, conceiver and founder of the Sports Surfaces Line. Always in our hearts and never forgotten. With heartfelt thanks.

Dedicado a Elvio Cardinaletti, creador y fundador de la línea Sports Surfaces. Para siempre en el corazón y en la memoria de todos. A él un afectuoso y sentido gracias.

Casali S.p.A.



We and our sports surfaces



Where we are /
 Dónde estamos:
 Albania, Algeria, Angola,
 Australia, Austria, Argentina,
 Antigua, Azerbaijan,
 Bangladesh, Barbados,
 Belarus, Bhutan, Bolivia,
 Bosnia-Herzegovina, Brazil,
 Bulgaria, Cabo Verde, Cam-
 bodia, Cameroon, Canaries,
 Chile, China, Colombia,
 Costa Rica, Croatia, Cuba,
 Cyprus, Czech Republic,
 Dominican Republic,
 Ecuador, Egypt,
 Estonia, Ethiopia, Ghana,
 Georgia, Germany, Gia-
 maica, Greece, Guatemala,
 Holland, Honduras,
 Hungary, India, Indonesia,
 Iran, Ireland, Israel, Italy,
 Kazakhstan, Kuwait, Latvia,
 Lebanon, Libya, Lithuania,
 Macedonia, Madagascar,
 Malaysia, Malta, Mauritius,
 Morocco, Mexico, Moldavia,
 Montenegro, Myanmar, New
 Zealand, Nigeria, Oman,
 Pakistan, Panama,
 Paraguay, Peru, Philippines,
 Poland, Portugal, Puerto
 Rico, Qatar, Reunion Island,
 Romania, Russia, San Sal-
 vador, Saudi Arabia, Sene-
 gal, Serbia, Singapore,
 Syria, Slovakia, Slovenia,
 South Africa, South Korea,
 Spain, Sri Lanka, Sudan,
 Sweden, Switzerland, Tai-
 wan, Thailand, Trinidad e
 Tobago, Tunisia, Turkey,
 U.A.E., Ukraine, United
 Kingdom, Uruguay, U.S.A,
 Venezuela, Vietnam.

Sport is one of the most important aspects of life for everyone, not just profes- sional athletes. Playing sport is all about fitness, enjoyment, passion and will power a quality sports surface will add to this experience and help bring out your best performance.

EN

To ensure maximum comfort and performance for all our sports surfaces, we are com- mitted to continual research and development each and every day. Our commitment and passion enables us to develop surfaces that are safe, innovative and of a high quality that has been our hallmark for more than eighty years, worldwide.

In addition to our historically well-established reputation in the production of polymer-bi- tuminous membranes, Casali is today also well known for the excellence of its Syn- thetics Division specialized in the production of liquid waterproofing products, materials for asbestos remediation, industrial floorings and sports surfaces. A receptive approach to specific technical problems, customer care and quality are values shared in the Group which through the years has acquired, very considerable professional experience in dif- ferent building trades and production fields.

We conceive and build solutions for sports facilities and the civil and industrial building trade.

Above all we believe in people and in the results that can be achieved with effort and passion. That is why we love sport.

ACRYLIC SPORTS SURFACES



Acrylic resin sports surfaces guarantee excellent ultraviolet light resistance that keeps the colours bright for years of play. Thanks to the fact that Casali Sport acrylic flooring is reinforced with carefully selected sands, the product is highly resistant to wear, non-slip and ensures outstanding playing comfort.

The absence of joints (seamless), added to simple and inexpensive retopping of damaged flooring, make Casali Sport acrylic flooring the perfect choice for indoor or outdoor sports surfaces such as tennis courts, multi-purpose courts, skating rings and cycling tracks. The flooring is available in a wide range of colours that are not only attractive but also make it possible to clearly mark out specific playing areas.







The quality of Casali Sports acrylic flooring is recognised by the most prestigious certification entities and international Sports Federations.

EN

Sports surfacing systems Sistemas de pavimentación deportivas

-  TENNIS
TENIS
-  BASKETBALL /
NETBALL
BALONCESTO
-  VOLLEYBALL
VOLEIBOL
-  5 A SIDE FOOTBALL
MINIFUTBOL
-  HANDBALL
BALONMANO
-  ATHLETICS
ATLETISMO
-  PLAYGROUNDS
AREAS DE JUEGOS
-  WHEELCHAIR SPORTS
DEPORTE SOBRE
SILLA DE RUEDAS
-  URBAN CYCLING
CICLISMO URBANO
-  PEDESTRIAN AREAS
AREAS PEATONALES
-  SKATING
PATINAJE
-  BOWLS
BOCHAS
-  BADMINTON
-  FITNESS
-  ARTISTIC GYMNASTIC
GIMNASIA ARTÍSTICA



SYSTEMS / SISTEMAS		P.
SUPERSOFT SUPERSOFT W.S.	    	8
SUPERSOFT DOPPIO SUPERSOFT DOPPIO W.S. (cushion)	    	12
SURFACE EVOLution SURFACE EVOLution W.S.	     	14
SUPERSOFT PRO TURF		16
CONFOSPORT CONFOSPORT T CONFOSPORT FL	     	18
CONFOSPORT IT	    	20
CONFOSPORT PM	    	21
SUPERSOFT SG	     	22
POLYSPORT POLYSPORT W.S.		23
ROLLERTOP	   	28
COLORSINT COLORSINT W.S.		30
COLORTOP	  	36
	 	38



Plan for tennis court






Fig. No.	In. Out. Layout (m2) (m2)	Bounds	Bounds	Total (m2)
1	Standard Single Unit	260.86	408.02	668.88
2	2 Courts	521.73	816.03	1,337.76
3	End to End 2 Courts	521.73	682.26	1,203.98
4	In battery 3 Courts	782.59	956.50	1,739.09
5	In battery int. est. 4 Courts			1,739.09
6	In battery 2 Batteries of	1,043.45	1,230.74	2,274.19
7	2 End to End 2 Batteries of	1,043.45	1,364.52	2,407.97
8	3 End to End	1,565.18	1,912.99	3,478.18







Sports surfacing systems
Sistemas de pavimentación deportivas



SUPERSOFT W.S. SYSTEM



perfect bounce
no maintenance costs
smooth and compact surface playing
comfort
customised colours
long life
stable colour



TENNIS

SUPERSOFT SUPERSOFT W.S.




Surfaces for Indoor and Outdoor Tennis Courts. Supersoft offers all the advantages of a hard court with the elasticity and comfort of a synthetic court. The composition of the synthetic resins gives a uniform surface that ensures excellent technical performance: improved comfort, perfect ball bounce, excellent friction and slide coefficient ratio and high impact absorption to ensure a fast, safe and enjoyable game. The flooring is durable, easy to lay, requires no maintenance and is resistant to abrasion and even the most aggressive weather conditions. The Supersoft system which is classified by the ITF in Class 4 (medium-fast), is the official surface for some of the most important international tennis tournaments. Supersoft is also ideal for outdoor basketball, volleyball, 5-A-Side Football and handball courts.

EN

พื้นผิวสำหรับสนามเทนนิสในร่มและกลางแจ้ง Supersoft มอบข้อดีทั้งหมดของฮาร์ดคอร์ทด้วยความยืดหยุ่นและให้ความรู้สึกสบายของคอร์ทสังเคราะห์ องค์ประกอบของเรซินสังเคราะห์ทำให้มีพื้นผิวที่สม่ำเสมอ รับประกันประสิทธิภาพทางเทคนิคที่ยอดเยี่ยม ให้ความรู้สึกสบาย การกระดอนของลูกบอลที่สมบูรณ์แบบ ค่าสัมประสิทธิ์แรงเสียดทานที่ยอดเยี่ยม และการดูดซับแรงกระแทกสูง เพื่อให้มั่นใจในความปลอดภัย สุขสบาย ในเกมที่รวดเร็ว พื้นมีความคงทน ติดตั้งง่าย ไม่ต้องดูแลรักษา และทนต่อการเสียดสี แม้กระทั่งสภาพอากาศที่รุนแรงที่สุด ระบบ Supersoft เป็นพื้นสนามในคลาส 4 ของ ITF (เร็วปานกลาง) และเป็นสนามอย่างเป็นทางการสำหรับการแข่งขันเทนนิสระดับนานาชาติที่สำคัญที่สุดบางรายการ Supersoft ยังเหมาะสำหรับสนามบาสเก็ตบอลกลางแจ้ง วอลเลย์บอล ฟุตบอล 5 คน ฟุตบอลและสนามแฮนด์บอล

TH



Sports surfacing systems
Systèmes de sol sportif

Grand Court

HIGH PERFORMANCE TENNIS SURFACES



SUPERSOFT DOPPIO SUPERSOFT DOPPIO W.S. (coussin)



perfect bounce
no maintenance costs
smooth and compact surface
playing comfort
customised colours
long life
stable colour
rebond parfait
pas de frais de maintenance
surface lisse et compacte
confort de jeu
couleurs personnalisées
durabilité
couleur stable

CASALI
SPORT



TENNIS

SUPERSOFT DOPPIO SUPERSOFT DOPPIO W.S. (cushion)



Surfaces for Indoor and Outdoor Tennis Courts. Real elasticity and impact absorption are the main characteristics of this system. The synthetic resin compound with intermediate rubber granule layer in fact gives the flooring excellent elasticity and resilience, improving ball bounce and reducing joint traumas. Classified by ITF in class3 (medium), the Supersoft Doppio system ensures comfort and a fast game as well as excellent resistance to wear and weather and requires no maintenance while ensuring durable performance over the years. Supersoft Doppio is ideal as an outdoor court for basketball, volleyball, 5-A-Side Football, handball.

EN




Surfaces pour courts de tennis en intérieur et en extérieur. Le composé de résines synthétiques avec une couche intermédiaire en granulés de caoutchouc confère effectivement au revêtement de sol une élasticité et une résilience excellentes, qui améliorent les rebonds de la balle et réduisent les traumatismes articulaires. Classé par l'ITF dans la catégorie 3 (moyenne), le système Supersoft Doppio assure confort et vitesse de jeu ainsi qu'une excellente résistance à l'usure et aux intempéries et ne nécessite pas d'entretien tout en assurant des performances durables au fil des années. Supersoft Doppio est idéal comme terrain en plein air de basketball, de volley-ball, de foot à 5 et de handball.

FR



TENIŠKA ZVEZA SLOVENIJE
SLOVENE TENNIS ASSOCIATION



ACRYLIC SYSTEMS



102 red rojo



113 Casali red-clay
Casali arcilla roja



151 orange naranja



610 yellow giallo



201 green verde



202 dark green verde oscuro



302 light blue azul claro



303 blue azul



319 deep blue azul profundo



413 grey gris



502 violet violeta



507 iris violet violeta iris

Other colours available on request for minimum production batches

CASALI

S P O R T

HIGH PERFORMANCE POLYURETHANE SPORTS SURFACES

















w w w . c a s a l i s p o r t . c o m



since
1992




Symbols - Leyenda simbolos

	IAAF - Certified (International Association of Athletics Federations)	Certified/Certificado - Sandwich, 15,7 mm: Synthetic Track Casali Sportrack SW PM System Certified/Certificado - Sandwich, 13,9 mm: Synthetic Track Casali Sportrack SW PF System
	BWF - Approved (Badminton World Federation)	Approved - (Grade 1) Pavisint SL 75 System
	AENA - Categoria 3 - Approved (All England Netball Association)	Approved Category 3 - Indoor or outdoor courts for county premier league and county first team use (England). - Supersoft Doppio System - Confosport System - Pavisint SL 75 System
	IISG - Tested (Italian Institute for Toy Safety)	Tested according to EN 1177 norm Probado según la norma EN 1177 - Athlon PG System
	UNI EN 14904:2007 Surfaces for sports areas	Surfaces for sports areas - Indoor surfaces for multisports use Superficies deportivas. Suelos multideportivos de interior.
	Improvement of impact sound insulation (Istituto Giordano)	Improvement of impact sound insulation Reducción del sonido de impacto T.R. no. 313736 - 26/02/2014
	Thermal Resistance (Istituto Giordano)	Thermal Resistance Probado - Resistencia Térmica T.R. no. 290110 - 30/12/2011
	Antibacterial Activity	Antibacterial Activity Actividad antibacteriana
	Fire Resistance Class 1 (Istituto Giordano)	Fire resistance class 1 Resistencia al fuego clase 1
	Fire Resistance Bfl-s1 (Istituto Giordano)	Fire resistance class Bfl-s1 Resistencia al fuego clase Bfl-s1
	Fire Resistance Cfl-s1 (Istituto Giordano)	Fire resistance class Cfl-s1 Certificado - Resistencia al fuego clase Cfl-s1
	EN 14904 - comply	Complying with EN 14904 standards Conforme a la normativa EN 14904
	Fire Resistance Compliance NCC - Australian National Construction Code	Report on Compliance of Sports Flooring. Systems with AS ISO 9239.1:2003 Informe de Cumplimiento de Pavimentos Deportivos Sistemas con AS ISO 9239.1:2003. FRG Report 2102006/1
	EN 14904 - comply (European standard)	Complying with EN 14904 standards Conforme a la normativa EN 14904
	ASBA member (American Sports Builders Association)	Casali is a member of the American Sports Builders Association Casali es un miembro de la Asociación Americana de Constructores de escenarios Deportivos
	Italian Quality - Casali	Casali logo: the Italian Quality of surfaces Logo Casali: Calidad Italiana de las superficies

since
1992



Our story
has been
coming
for a long
time.



Dedicated to Elvio Cardinaletti, conceiver and founder of the Sports Surfaces Line. Always in our hearts and never forgotten. With heartfelt thanks.

Dedicado a Elvio Cardinaletti, creador y fundador de la línea Sports Surfaces. Para siempre en el corazón y en la memoria de todos. A él un afectuoso y sentido gracias.

Casali S.p.A.

We and our sports surfaces



EN

Where we are /

Dónde estamos:

Albania, Algeria, Angola, Australia, Austria, Argentina, Antigua, Azerbaijan, Bangladesh, Barbados, Belarus, Bhutan, Bolivia, Bosnia-Herzegovina, Brazil, Bulgaria, Cabo Verde, Cambodia, Cameroon, Canaries, Chile, China, Colombia, Costa Rica, Croatia, Cuba, Cyprus, Czech Republic, Dominican Republic, Ecuador, Egypt, Estonia, Ethiopia, Ghana, Georgia, Germany, Giamaiica, Greece, Guatemala, Holland, Honduras, Hungary, India, Indonesia, Iran, Ireland, Israel, Italy, Jordan, Kazakhstan, Kuwait, Latvia, Lebanon, Libya, Lithuania, Macedonia, Madagascar, Malaysia, Malta, Mauritius, Morocco, Mexico, Moldavia, Montenegro, Myanmar, New Zealand, Nigeria, Oman, Pakistan, Panama, Paraguay, Peru, Philippines, Poland, Portugal, Puerto Rico, Qatar, Reunion Island, Romania, Russia, San Salvador, Saudi Arabia, Senegal, Serbia, Singapore, Syria, Slovakia, Slovenia, South Africa, South Korea, Spain, Sri Lanka, Sudan, Sweden, Switzerland, Taiwan, Thailand, Trinidad e Tobago, Tunisia, Turkey, U.A.E., Ukraine, UK, Uruguay, U.S.A, Venezuela, Vietnam.

Sport is one of the most important aspects of life for everyone, not just professional athletes. Playing sport is all about fitness, enjoyment, passion and will power a quality sports surface will add to this experience and help bring out your best performance.

To ensure maximum comfort and performance for all our sports surfaces, we are committed to continual research and development each and every day. Our commitment and passion enables us to develop surfaces that are safe, innovative and of a high quality that has been our hallmark for more than eighty years, worldwide.

In addition to our historically well-established reputation in the production of polymer-bituminous membranes, Casali is today also well known for the excellence of its Synthetics Division specialized in the production of liquid waterproofing products, materials for asbestos remediation, industrial floorings and sports surfaces. A receptive approach to specific technical problems, customer care and quality are values shared in the Group which through the years has acquired, very considerable professional experience in different building trades and production fields.

We conceive and build solutions for sports facilities and the civil and industrial building trade.

Above all we believe in people and in the results that can be achieved with effort and passion. That is why we love sport.

POLYURETHANE SPORTS SURFACES



Polyurethane resin sports surfaces are highly resistant and ensure outstanding performance. These characteristics are guaranteed by the fact that Casali Sport polyurethane flooring, that is made with high quality materials, has different thicknesses and levels of elasticity, depending on the flooring to be laid.


The absence of joints (seamless), added to simple and inexpensive retopping of damaged flooring, make Casali Sport polyurethane flooring the perfect choice for indoor or outdoor sports surfaces. The flooring is available in a wide range of colours that are not only attractive but also make it possible to clearly mark out specific playing areas.

The quality of Casali Sports polyurethane flooring is recognised by the most prestigious certification entities and international Sports Federations.

EN



PAVISINT SL 75



multipurpose flooring
non-slip effect
seamless flooring
highly elastic
wide range of colours
wide range of thicknesses

พื้สนามกีฬาอเนกประสงค์
ไม่ลื่น
พื้นไร้รอยต่อ
มีความยืดหยุ่นสูง
มีหลายสี
มีหลายความหนา



MULTIPURPOSE INDOOR

PAVISINT SL 75



The safe and versatile Pavisint SL 75 system is designed especially for indoor sports clubs and multipurpose gyms. The granular rubber mat Spormat and the self-levelling polyurethane resin based finish make the surface elastic and resistant and ideal for basketball, volleyball, 5-A-Side Football and any other sport which may be played on a synthetic court or in schools. The system reduces the risks of slipping, reduces muscle fatigue and ensures better ball bounce thanks to the application by casting which produces a seamless surface which maintains its technical performance over the years. The Pavisint SL 75 system also ensures excellent acoustic comfort, as confirmed by specific tests, and is therefore also ideal for heated flooring. Colours available: colour chart pg. 31.

EN




ระบบพื้นสนามกีฬา Pavisint SL 75 เป็นระบบที่มีความปลอดภัย และออกแบบประสงค ์ได้รับการออกแบบมาโดยเฉพาะสำหรับสโมสรกีฬาในร่มและโรงยิมเนคประสงค์ พื้นยางและโพลียูรีเทนที่ใช้เคลือบทำให้พื้นสนามกีฬาที่มีความยืดหยุ่น ทนทานเหมาะสำหรับกีฬา บาสเกตบอล วอลเลย์บอล ฟุตบอล 5 คน และกีฬาชนิดอื่นๆ ซึ่งสามารถเล่นได้ทั้งพื้นสังเคราะห์นี้ หรือในโรงเรียน ระบบจะช่วยลดความเสี่ยงในการลื่น ลดความเมื่อยล้าของกล้ามเนื้อ และรับประกันการกระดอนของลูกบอลที่ดีขึ้น เนื่องมาจากระบบการติดตั้งที่ไร้รอยต่อ ซึ่งยังคงรักษาประสิทธิภาพทางเทคนิคไว้ได้ตลอดหลายปีที่ผ่านมา ระบบ Pavisint SL 75 ยังให้ความรู้สึกรบายทางเสียงที่ยอดเยี่ยมอีกด้วย ตามที่ได้รับการยืนยันจากการทดสอบเฉพาะ และเหมาะสำหรับพื้นที่มีระบบทำความร้อนด้วย (Heated Floor)

TH




Colours chart- PAVISINT FINISH 90


SYSTEMS PAVISINT SL 75




P102 oxide red
rojo óxido



P151 orange
naranja




P201 oxide green
verde óxido




P308 spring green
verde primavera



P310 green
verde pálido




P312 blue
azul cielo




P316 blue
azul paloma




P317 blue
azul menta




P313 pastel blue
azul pastel




P314 bright blue
azul celeste




P401 silver grey
gris plata




P408 dusty grey
gris polvo




P409 grey
gris hierro




P410 stone grey
gris piedra



P456 sandy beige
beige arena



P801 ochre brown
marrón ocre



P803 autumn brown
marrón otoño

Other colours available on request for minimum production batches

CASALI A B M

Advanced Building Materials

Casali ABM Co., Ltd.
101/74 Moo4 Soi 10A Bang gruay Sainoi Road.,
Sanoloy, Bangbuathong, 11110 Nonthaburi, Thailand
Tel. +66 (0) 2571 3221 www.casaliabmsea.com
Email: info@casaliabmsea.com
VAT num. 0125562010118

Over 30 years of experience, over 30 original sports surfaces systems for all sports, 6.500 tennis hard courts, 2.500 multipurpose courts, 12 FIFA soccer Football courts, 15 skating rinks, approx. 23.500.000 kg of resin produced in Italy and sold in more than 100 Countries. On our sports surfaces: ATP world tour, WTA world tour, Davis Cup, Copa Argentina de Tennis, Grand Slam of Aces, European Skating Championship, Italian Skating Championship

since
1992



www.casaliabmsea.com